Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	5	"622047".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 17:45
S4	4	"015192".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/26 17:45
S3	4	"015192".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 17:45
<b>S6</b>	17	(abstract near2 (mark?up or markup)) near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ,	2006/01/27 10:23
S11	9	S10 and abstract	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 10:26
S12	51	S10 and render\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 10:27
S14	5	"451715".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:27
S13	5	"746684".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:27

						<u> </u>
S17	. 5	"234044".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:28
S16	7	"234044".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR 	OFF	2006/01/27 11:28
S15	6	"013718".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:28
S18	3	"6560651".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:29
S19	5	"989255".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:30
S20	4	"965137".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:31
S23	646	iyengar.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:32
S22	3	"941467".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:32

S21	5	"331619".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:32
S26	0	S25 and mobile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:33
S24		S23 and "709"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:33
S28	529	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 13:55
S32	5	"165887".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:28
S31	17	(abstract near2 (mark?up or markup)) near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:32
S34	103	leamon.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:56
S33	5	(abstract adj (markup or mark?up)) adj language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:56

				·		
S35	0	S34 and "0107891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:57
S37	6	"622035".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:08
S36	7	"068236".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:08
S30	116	S29 and (channel\$1 or paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:43
S40	20909	mobile adj device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:45
S39	15901	mobile adj device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:45
S38	27	S30 and (default and optional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/31 16:45
S42	. 838	S41 and (default and optional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:46

S44	65	S43 and "707"/.ccls.	US-PGPUB; USPAT;	OR	OFF	2006/01/31 16:53
		*	USOCR; EPO; JPO; DERWENT; IBM_TDB			×
S45	6	"929118".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:54
S46	4	"965137".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:01
S47	5	"885465".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:03
S49	. 7	"234044".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:04
548	5	"746684".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:04
S52	6	"013718".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:05
S51		"013718.ap."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:05

S50	0	"013718.ap"	US-PGPUB;	OR	OFF	2006/01/31 17:05
			USPAT; USOCR; EPO; JPO; DERWENT;			t setus
			IBM_TDB			1 03
S54	3	"941467".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2006/01/31 17:06
		• •	DERWENT; IBM_TDB			
S53	5	"451715".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2006/01/31 17:06
		,	DERWENT; IBM_TDB			
S56	0	"750302.ap.",	US-PGPUB; USPAT; USOCR;	OR	OFF	2006/01/31 17:08
			EPO; JPO; DERWENT; IBM_TDB			7100 1 744.
S55	5	"165887".ap.	US-PGPUB; USPAT; USOCR;	OR	OFF	2006/01/31 17:08
		÷	EPO; JPO; DERWENT; IBM_TDB			. P.T.
S58	5	"989255".ap.	US-PGPUB; USPAT; USOCR;	OR	OFF	2006/01/31 17:09
			EPO; JPO; DERWENT; IBM_TDB		-	\$77.7 <b>6</b> \$7.
S57	7	"750302".ap.	US-PGPUB; USPAT; USOCR;	OR	OFF	2006/01/31 17:09
			EPO; JPO; DERWENT; IBM_TDB			
S43	624	S42 and (convert or conversion or convert\$5)	US-PGPUB; USPAT; USOCR;	OR	OFF	2006/01/31 17:10
			EPO; JPO; DERWENT; IBM_TDB			- 193 1).

•						
S60	624	S59 and optional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:11
S59	624	S43 and (mobile adj device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR :	OFF	2006/01/31 17:11
S62	357	S61 and language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:12
S61	546	S60 and (path\$1 or channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:12
S63	6	"609112".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 11:00
S64	7	"234044".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:03
S65	2	"20050015406"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:04
S9	529	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:39

S66	582	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:40
S69	2	"20020107891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:57
S68		"2002010789"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:57
S67	0	S66 and (devide near4 (associated or specific))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/06/22 13:57
S72	182	S70 and (format or format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF .	2006/06/22 14:27
S71	· 2	S70 and (device-specific or device?specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 14:27
S74		"20050015406" and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2006/06/22 17:57
S78	49	S77 and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00

						*
\$77	182	S76 and (format or format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00
S75	582	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00
S73	55	S70 and ((format or format\$4) with display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00
S80 	2	"20020107891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 11:40
\$2	6	"622035".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 11:40
S81	. 19	(abstract near2 (mark?up or markup)) near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 11:45
S84	0	"20020107891" and run	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:12
S83	2	"20020107891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:12

S87		"20020161928" and ( runtime or run?time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:13
S86	2	"20020161928"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:13
S85	0	"20020107891" and runtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:13
S79	0	"20020107891" and abstract	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:13
S90	23	S89 and (runtime or run?time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:14
S88	620	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:14
S91	23	S89 and (runtime or run?time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:20
S95	0	((device\$8 near5 (mark?up or markup) near5 language) with generic with (aggregat\$3 or combin\$3)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/15 09:41

S94	0	((device near5 (mark?up or markup) near5 language) with generic with (aggregat\$3 or combin\$3)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 09:41
S96	0	((device\$8 near5 (mark?up or markup) near5 language) same (generic with (aggregat\$3 or combin\$3)) ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 09:44
S99	2	"20020178211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 12:04
S98	3	"2002017811"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 12:04
S97	278	(((mark?up or markup) near5 language\$1) with (aggregat\$3 or combin\$3) ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 12:04
S1	1616172	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 09:46
S10 1	2	"20040243928" and (device or generic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 10:05
S10 2	0	S100 and (((device?specific ) or generic) near (markup or mark?up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 10:06

	•		-			
S93	0	((device near5 (mark?up or markup) near5 language) with generia with (aggregat\$3 or combin\$3)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR _	OFF	2007/07/12 13:39
S10. 4		((device\$1 near5 language) near into ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 13:40
S10 7		"20050015406"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 10:41
S10 8		"20040199516" and aggregat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:02
S10 6	2	"20040199516"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:02
S11 1	27	(abstract near2 (mark?up or markup)) near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:28
S11 0	1699413	L and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:28
S10 9	584459	L and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:28

S8	9	S6 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:28
\$7	2497084	L and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:28
S11 6	245	S114 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:29
S11 5	179	S114 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:29
S11 4	875	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:29
S11 3	<b>0</b>	S111 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:29
S11 2	8	S111 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:29
S10	375	S9 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:29

S12 3	875	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S12 2	0	S120 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S12 1	8	S120 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S12 0	40	S119 and "709"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S11 9	843	iyengar.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S11 8	0	S116 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S11 7	0	S115 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S29	375	S28 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30

S25	32	S24 and @ad<"20030701"	US-PGPUB; USPAT; USOCR;	OR	OFF	2008/01/24 11:30
	·		EPO; JPO; DERWENT; IBM_TDB			
S12 7		S125 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF .	2008/01/24 11:31
S12 6	0	S124 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:31
S12 5	245	S123 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:31
S12 4	179	S123 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:31
S13 2	13	S130 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:32
S13 1	8191	S129 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:32
S13 0	6285	S129 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:32

1

S12	41975	mobile adj device\$1	US-PGPUB;	OR	OFF	2008/01/24 11:32
9			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S12 8	3333	707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:32
S41	13094	S40 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:32
S14 1	245	S139 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S14 0	179	S139 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S13 9	875	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S13 7	0	S135 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S13 6	245	S134 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33

S13 5	179	S134 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S13 4	875	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S13 3		S131 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S76	383	S75 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S70	383	S66 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S14 8	0	S146 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S14 7	. 0	S145 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S14 6	245	S144 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34

				r		<u> </u>
S14 5	179	S144 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S14 4	875	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S14 3	0	S141 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S14 2	0	S140 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S89	388	S88 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S15 3		((markup or mark?up) near5 dynamically near5 (runtime or run?time)) and @prad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S15 2	1	((markup or mark?up) near5 dynamically near5 (runtime or run?time)) and @rlad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S15 1	0	S149 and @prad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35

<del></del>						1
S15 0	8	S149 and @rlad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S14 9	27	(abstract near2 (mark?up or markup)) near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S92	4	((markup or mark?up) near5 dynamically near5 (runtime or run?time)) and @ad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S82	6	S81 and @ad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S15 7	4513	(device\$1 near5 language) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:36
S15 6	2817	(device\$1 near5 language) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:36
S15 5	6	(aggregat\$4 near4 (mark?up or mark-up or markup)) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2008/01/24 11:36
S15 4	23	(aggregat\$4 near4 (mark?up or mark-up or markup)) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:36

						T
S10 3	10228	(device\$1 near5 language) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:36·
S10 0	40	(aggregat\$4 near4 (mark?up or mark-up or markup)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:36
S16 2	0	S160 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:37
S16 1	110	((device\$1 near5 language) near (format\$3 or transform\$3 or chang\$3 or encod\$3) ) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:37
S16 0	92	((device\$1 near5 language) near (format\$3 or transform\$3 or chang\$3 or encod\$3) ) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR '	OFF	2008/01/24 11:37
S15 9	2	S157 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF <sub>.</sub>	2008/01/24 11:37
S15 8	. 2	S156 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:37
S13 8	0	S136 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:37

S10 5	273	((device\$1 near5 language) near (format\$3 or transform\$3 or chang\$3 or encod\$3) ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:37
S16 4	2	"20040199516"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2008/01/24 11:56
S16 3	. 0	S161 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:56
L2	2	"20040030795"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:54
L3	. 1	"20050015406" and front	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2008/02/05 15:32
L6	58	L5 and (device and markup\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:05
L5	413	L4 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:05
L4	881	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2008/02/05 16:05

Ľ8	41	L7 and (device and markup\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:06
L7	179	L4 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:06
L9	10	L7 and (device? with markup\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:07
L10	2	"20050015406" and (readable or medium or media or wave\$1 or signal\$1 or communication\$1 or wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:36
L11	2	"20050015406" and (readable or medium or (usable near5 (medium or media ) ) or media or wave\$1 or signal\$1 or communication\$1 or wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:41